

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6





FIGURE 7



05070834-051500




FIGURE 8




FIGURE 9





FIGURE 10A

Mice treated with Ad/LacZ Macrophages



Mice treated with Ad/FasL Macrophages



FIGURE 10B




FIGURE 11





FIGURE 12

# B6 +/+




In vivo tolerance induction with APC-AdControl APC-AdFasL




In vivo tolerance induction with APC-AdControl APC-AdFasL

# B6 *lpr/lpr*



APC-AdControl APC-AdFasL



APC-AdControl APC-AdFasL

FIGURE 13




FIGURE 14